


BOXTER



BOXTER DATASHEET

BOXTER DATASHEET

casala®

UNIQUE BUYING REASONS

- > Boxter table is available in two heights, standard and poser height
 - > Possibility for longer configurations due to linkable table leg
- > Optional Boxter table available with chromed frame (chrome type 3)
 - > Boxter table is 100% recyclable
 - > Boxter table is standard fitted with height adjustable glides
- > Boxter table standard available with different table tops and edges
 - > Electrification and cable management are optional available

NL

- > Boxter wordt geleverd in twee hoogtes, standaard en statafel hoogte.
- > Langere configuraties mogelijk door gebruik van koppelpoot
- > Optioneel is Boxter te voorzien van verchromd frame (Chroom type 3)
- > Boxter is 100% recyclebaar
- > Standaard is Boxter voorzien van in hoogte verstelbare glijders, optioneel te voorzien van ultrasoon gelast vilt.
- > Boxter heeft standaard verschillende mogelijkheden in tafelbladen en randen
- > Elektrificatie en kabelmanagement zijn optioneel leverbaar

DE

- > Boxter ist Standard lieferbar in zwei verschiedenen Tischhöhen (Bistro, Stehtisch)
- > Grote configuraties mogelijk middels koppelpoot
- > Boxter is optioneel leverbaar met een verchromd (frame in milieuvriendelijk chroom3)
- > Boxter is 100 % recyclebaar na zijn levensduur
- > Elektrifizierung, Kabelmanagement und Blenden sind optional lieferbar
- > Verschiedene Dekore und Tischkanten sind lieferbar

FR

- > La table Boxter est disponible en deux hauteurs, standard et bar
- > Possibilité de créer de grandes configurations grâce aux pieds partagés.
- > La table Boxter est disponible en option avec une structure chromée (chrome sorte 3)
- > Boxter est 100% recyclable
- > La table Boxter est équipée en standard de patins ajustables en hauteur
- > Boxter existe en différents plateaux et chants
- > Electrification et gestion des câbles disponibles en option



PRODUCT REVIEW

6850/63 - Boxter 160 x 80x 75 cm



Chipboard
Steel
Plastic

Spaanplaat / Spanplatte / Chipboard / Panneau de particules 21mm HPL	17280 gr.
Staal / Metall / Steel / Acier	25820 gr.
Kunststof / Kunststoff / Polypropylène	25 gr.
Totaal / Gesamt / Total / Total	43125 gr.

6860/13 - Boxter 80 x 80 x 110 cm



Chipboard
Steel
Plastic

Spaanplaat / Spanplatte / Chipboard / Panneau de particules 21mm HPL	8640 gr.
Staal / Metall / Steel / Acier	21640 gr.
Kunststof / Kunststoff / Plastic / Polypropylène	25 gr.
Totaal / Gesamt / Total / Total	30305 gr.

TECHNICAL SPECIFICATIONS

EN

FRAME

- > Tube square 50 x 50 x 2 mm
- > Finish: Finish: (matt) chromed with a layer thickness of 20-25µm, powdercoated with a layer thickness of 300µm

CONNECTION

- > Metal parts on frame are welded using MIG welds, table top connected with screws

FINISH TABLE TOP

- > 19 mm chipboard melamine with matching laser edge (ABS)
- > 21 mm chipboard HPL with matching laser edge (ABS)
- > 12 mm SCL, black core, white top layer
- > 24 mm birch plywood, top HPL, edge natural lacquered

GLIDES

- > Standard plastic glides height adjustable

NL

FRAME

- > Buis vierkant 50 x 50 x 2 mm
- > Afwerking: (mat) verchromd met een laagdikte van 20-25µm, poedercoating met een laagdikte van 300µm

BEVESTIGING

- > Metalen onderdelen frame d.m.v. MIG lassen, tafelblad verbonden met schroeven

TAFELBLADEN

- > 19 mm spaanplaat melamine met bijpassende gelaserde ABS rand
- > 21 mm spaanplaat HPL met bijpassende gelaserde ABS rand
- > 12 mm SCL, zwarte kern, toplaag wit
- > 24 mm berken multiplex, top HPL, rand blank gelakt

GLIJDERS

- > Standaard in hoogte verstelbare glijders

DE

GESTELL

- > Rohr quadratisch 50 x 50 x 2 mm
- > Oberfläche: pulverbeschichtet mit einer Materialstärke von 300µm, oder verchromt, matt verchromt, Stärke 20-25 µm

VERBINDUNG

- > Metallverbindungen sind MIG verschweißt. Tischplatten sind montiert mit Schrauben

TISCHPLATTEN

- > 19 mm Spanplatte melamine direktschichtet mit fugenlos angefügter ABS-Kante
- > 21 mm Spanplatte mit HPL und mit fugenlos angefügter ABS-Kante
- > 12 mm DKS, Schwarz, Oberflächendekor weiß
- > 24 mm Birkemultiplex, Oberfläche mit HPL Dekor, Kanten natur lackiert

GLEITER

- > Standard Kunststoffgleiter, höhenverstellbar

FR

CHÂSSIS

- > Tube carré 50 x 50 x 2 mm
- > Finitions: Chromé, chromé mat épaisseur de 20-25µm, époxy épaisseur de 300µm

ASSEMBLAGE

- > Parties métalliques assemblées par soudures MIG. Plateaux assemblés avec des vis

FINITIONS PLATEAU

- > 19 mm panneau de particules mélamine avec chant ABS au laser assorti
- > 21 mm panneau de particules HPL avec chant ABS au laser assorti
- > 12 mm SCL, intérieur noir, revêtement blanc
- > 24 mm multiplis de hêtre, revêtement HPL, chant vernis naturel

PATINS

- > Patins plastique hauteur ajustable en standard

GENERAL INFO

CASALA CIRCULAR ECONOMY

Casala realizes it is responsible for the environment and the economic and social well-being of our world and considers it important to make a structural contribution. Our objective with regard to Circular Economy is simple: successful corporate social responsibility with focus on a sustainable world. During the design phase we determine the products and materials and examine their impact and behaviour in the product chain. These choices are the basis of adequate management of products and materials. For many years Casala has been working with raw materials that mainly originated in Western Europe. The required transport kilometers are thus kept to a minimum. This contributes to the lowest possible CO₂ emissions.

Chairs are frequently discarded after use and seen as waste. This is unnecessary, as the parts are often not at the end of their life cycle. Therefore Casala chooses to refurbish various items from our product range and offers CE guarantee on multiple programs.

When purchasing new furniture, you decide in consultation with Casala whether you want to make use of the CE guarantee. Casala CE comes with an official certificate. The moment you want to replace the furniture, you can return this CE certificate. Every CE-certified product will receive a cash refund, a nice start for the purchase of new furniture. This contributes to a more sustainable world, the foundation of Circular Economy.

Result: a chair with the same quality and warranty conditions as a new chair

CASALA MAINTENANCE

You can find the general maintenance manual at:

www.casala.com/maintenance

CASALA GUARANTY

Casala guarantees that delivered products retain their functional properties for a period of 5 years. The warranty period commences on the date of delivery and is not interrupted, impeded or renewed when a warranty service has been

provided. We can handle complaints quickly when you send a clear description together with photos, the model number, the order number and the date of manufacture to Casala. You can find this information on the production sticker under the chair or table.

See further additional warranty conditions.

CASALA CERTIFICATION

Casala continually strives to reduce the environmental impact in the development of our products. During development, care is taken to make responsible use of raw materials and production techniques. For many years Casala has been working with dedicated suppliers and producers conformed to the ISO14001 standard. This standard is used worldwide to start and assess environmental management systems. In order to ensure wood and paper products originate from responsibly managed forests.

Thanks to the established quality requirements and control of production processes, Casala's contract furniture guarantees excellent quality, long life span and durability.

Casala PEFC™ certification: CU-PEFC-858146

CONTACT

Casala
Meubelen Nederland bv
 Rolweg 10
 4104 AVCulemborg
 The Netherlands
 +31 (0)345 51 73 88
info@casala.com

Design Post Amsterdam
 Cruquiusweg 111M
 1019AG Amsterdam
 The Netherlands
 T +31 (0)20 463 39 80

Casala
Objektmöbel GmbH
 Magirusstraße 16
 31867 Lauenau
 Germany
 +49 (0)5043 71 0
casala@casala.com

Casala Ltd
 2 Sycamore Street
 Clerkenwell, EC1Y 0SF
 London
 United Kingdom
 +44 (0)1256 46 88 66
sales@casala.com

Casala S.à.r.l.
 54 rue du 19 Janvier
 92380 Garches
 France
 +33 (0)1 47 10 02 22
contact@casala.com



WWW.CASALA.COM

casala®