

STOFFEN VOOR ZITELEMENTEN

Stofgroep	Stof	Producent	Samenstelling
0	Rivet	Camira	100% recycled polyester
	Era	Camira	100% recycled polyester
	Cura	Gabriel	98% post-consumer recycled polyester / 2% polyester
	Tonal	Gabriel	99% post-consumer recycled polyester / 1% polyester
	Mica	Gabriel	97% post-consumer recycled polyester / 3% polyester
A	Urban	Camira	100% recycled polyester
	Xtreme	Camira	100% recycled polyester
	Medley	Gabriel	100% polyester
	Go Check	Gabriel	100% Trevira cs
B	Main Line Flax	Camira	70% wool, 30% flax
	Patina	Camira	69% wool, 22% flax, 8% polyamide, 1% viscose
	Chili	Gabriel	post-consumer recycled polyester / polyester
	Step Melange	Gabriel	100% Trevira cs
C	Remix 3	Kvadrat	90% wool, 10% nylon
	Hero	Kvadrat	96% new wool, 4% nylon
	Synergy	Camira	95% virgin wool, 5% polyamide
	Blazer	Camira	100% virgin wool
	Stamskin Top	Serge Ferrari	artificial leather - under layer polyamide-yersey
	Sylverguard	Vyva Fabrics	vinyl / urethane topcoat
D	Divina 3	Kvadrat	100% wool
	Divina Melange 3	Kvadrat	10% wool
	Hallingdal 65	Kvadrat	70% wool, 30% viscose
	Steelcut 2	Kvadrat	90% wool, 10% nylon
	Steelcut Trio 3	Kvadrat	90% wool, 10% nylon
	Canvas 2	Kvadrat	90% new wool, worsted, 10% nylon


- Hoogwaardige kwaliteitsstoffen, geschikt voor projectmeubilair.
- Meubelstoffen zijn ook geschikt voor panelen tot 120 cm breed, bredere formaten worden voorzien van een naad.
- Andere stoffen of klanteigen materiaal op aanvraag.

STOFFEN VOOR RUIMTEDELERS & AKOESTISCHE PANELEN

Stofgroep	Stof	Producent	Samenstelling
P0	Cara	Camira	100% polypropylene
	Carlow	Camira	100% polypropylene
P1	Soul	Gabriel	100% wool
	Twist Melange	Gabriel	100% Trevira cs
	Tonal	Gabriel	99% post-consumer recycled polyester / 1% polyester
	Mica	Gabriel	97% post-consumer recycled polyester / 1% polyester
	Era 170	Camira	100% polyester
P2	Blazer Lite	Camira	100% wool
	Synergy 170	Camira	95% virgin wool, 5% polyamide
	Floyd Screen	Kvadrat	50% polyester, 45% worsted wool, 5% nylon
	Remix Screen	Kvadrat	90% new wool worsted, 10% nylon
	Soul Melange	Gabriel	100% wool

- Hoogwaardige kwaliteitsstoffen, uitsluitend geschikt voor panelen.
- Paneelstoffen met bijpassende meubelstoffen: Blazer Lite, Floyd Screen, Synergy 170.
- Andere stoffen of klanteigen materiaal op aanvraag.

Camira Cara | category P0



Application

Panel

Composition

100% Polypropylene

Environmental

EU Ecolabel

Width

170 cm minimum

Weight

220 g/m² ±5% (375 g/lin.m ±5%)

Flame resistance

EN 1021-1 (cigarette)

BS 476 Part 7 Class 1

EN 13501-1 Adhered Class B, s2 ,d0

Fastness to Rubbing


Wet: 4, Dry: 4 (ISO 105 - X12)

Cleaning


Vacuum regularly. Wipe clean with a damp cloth or shampoo using proprietary upholstery shampoo.

Colours

Colours can differ from image, for a true colour perspective and up to date colour card, please visit the brand website.



Camira Carlow | category P0



Application

Panel

Composition

100% Polypropylene

Width

170 cm minimum

Weight

214 g/m2 ±5%

Fastness to rubbing

Wet: 4, Dry: 4 (ISO 105 - X12)

Flame resistance

EN 1021-1 (cigarette)

EN 13501-1 Adhered Class B, s1, d0


EN 13501-1 Un-adhered Class C, s1, d0

Cleaning


Vacuum regularly. Wipe with a damp cloth using soap and water or use proprietary upholstery shampoo.

Colours

Colours can differ from image, for a true colour perspective and up to date colour card, please visit the brand website.



Gabriel Soul | category P1



Application

Panel

Composition

100% wool

Environmental

Oeko-Tex

100% free of heavy metals

Width

170 cm

Weight

330 g/m2

Flame resistance

BS 476 Part 7 class I

ÖNORM A3800-B1-B3825-Q1 UK

BS 5852 Crib 5 (flame retardant)

Fastness to Rubbing

4/4-5 scale 1-5, max. 5

EN ISO 105x12 (wet/dry)

Cleaning


Regular vacuum cleaning

Colours

Colours can differ from image,
for a true colour perspective
and up to date colour card,
please visit the brand website.



Gabriel Twist Melange | category P1



Application

Panel

Composition

100% Trevira cs

Environmental

Oeko-Tex, EU Ecolabel

100% free of heavy metals

Width

170cm

Weight

370 g/lm

11.93 oz/lin.yd

Flame resistance

ASTM E 84

DIN 4102 B1

NFP 92-503/504/505 M1

BS 476 Part 7, class 1

Class Uno UNI 9175 Class 1 | EMME

Class Uno UNI 9177 - Class 1 | EMME

Class Uno UNI 9174 - UNI 8457

DIN EN 13501-1 B-s1,d0

Fastness to Rubbing

4-5/4-5 scale 1-5, max. 5 -

EN ISO 105x12 (wet/dry)



Cleaning

Wiping down with water.

Colours

Colours can differ from image,
for a true colour perspective
and up to date colour card,
please visit the brand website.

Gabriel Tonal | category P1



Application

cross functional contract

Composition

99% post-consumer recycled polyester /
1% polyester

Width

170 cm

Weight

385 g/lm

Flame resistance

CA TB 117-2013

ASTM E 84 Class I

BS EN 1021 1&2 Cigarette and Match

BS EN 1021-1 Cigarette

BS 476 Part 7 class I

Cleaning

Wash or dry cleaning

Tonal is made of polyester which is a material
suited for environments with special
requirements for cleaning.

Colours

Colours can differ from image,
for a true colour perspective
and up to date colour card,
please visit the brand website.

Gabriel Mica | category P1



Application

cross functional contract

Composition

97% post-consumer recycled polyester /
3% polyester

Width

170 cm

Weight

2496 light/2497 dark: 305 g/lm.

2500 light/2501 dark: 370 g/lm.

Flame resistance

CA TB 117-2013

ASTM E 84 Class I

BS EN 1021-1 Cigarette

BS EN 1021-2 Match

BS 476 Part 7 class I

Cleaning

Wash or dry cleaning

Mica is made of polyester which is a material
suited for environments with special
requirements for cleaning.

Colours

Colours can differ from image,
for a true colour perspective
and up to date colour card,
please visit the brand website.



2500-60000



2500-61008



2501-60000



2501-61008



2500-61011



2500-60004



2500-60002



2501-61011



2501-60004



2501-60002



2500-62093



2501-60021



2501-60021



2501-62093



2500-66030



2500-67070



2500-67015



2501-66030



2501-67070



2501-67015



2500-64146



2500-66006



2500-68145



2501-64146



2501-66006



2501-68145

Camira Blazer Lite | category P2



Application

Panel

Composition

100% Virgin Wool
Non metallic dyestuffs

Environmental

Rapidly renewable and compostable

Width

170 cm minimum

Weight

355 g/m² ±5% (605 g/lin.m ±5%)

Flame resistance

BS 476 Part 7 Class 1
BS 476 Part 6 Class 0
EN 13501-1 Adhered Class C, s1, d0

Fastness to Rubbing


Wet: 4, Dry: 4 (ISO 105 - X12)

Cleaning


Vacuum regularly. Professionally dry clean
or wipe clean with a damp cloth.

Colours


Colours can differ from image,
for a true colour perspective
and up to date colour card,
please visit the brand website.



LTH43



LTH63



LTH64



LTH67



LTH44



LTH41



LTH42



LTH60



LTH51



LTH55



LTH50



LTH48



LTH56



LTH59



LTH57



LTH52



LTH58



LTH54



LTH49



LTH47



LTH66



LTH68



LTH65



LTH62



LTH61



LTH39



LTH46



LTH53



LTH70



LTH40



LTH69

Camira Synergy 170 | category P2



Application

Panel

Composition

95% Virgin Wool and 5% Polyamide

Environmental

EU Ecolabel

Width

140 cm minimum

Weight

400 g/m² ±5% (560 g/lin.m ±5%)

Flame resistance

EN 1021 - 1 (cigarette)

EN 1021 - 2 (match)

BS 7176 Low Hazard

NF D 60-013

ÖNORM B 3825 & A 3800-1

(58 kg/m³ CMHR Foam)

UNI 9175 Classe 1 IM

EN 13501 Adhered Class D, s1, d0

EN 13501 Un-adhered Class E, s2, d0

Abrasion resistance

100,000 Martindale cycles

Fastness to Rubbing


Wet: 4, Dry: 4 (ISO 105 - X12)

Cleaning



Vacuum regularly. Professionally dry clean or wipe clean with a damp cloth.

Colours

Colours can differ from image, for a true colour perspective and up to date colour card, please visit the brand website.



Kvadrat Floyd Screen | category P2



Application

Panel

Composition

45% new wool, 50% polyester and 5% nylon

Width

App. 170 cm (app. 67 inches)

Weight

App. 370 g/lin.m

Flame resistance

BS 476 part 7 + 6 when glued


Cleaning

Vacuuming and dry cleaning.

Colours

Colours can differ from image,
for a true colour perspective
and up to date colour card,
please visit the brand website.

Kvadrat Remix Screen | category P2



Application

Panel

Composition

90% new wool worsted, 10% nylon

Width

170 cm

Weight

450 g/lin. m

Fastness to Rubbing

0 Martindale

Flame resistance

ASTM E84 Class A Adhered

AS/NZS 3837 class 2

AS/NZS 1530.3

DIN 4102 B1 adhered

BS 476 part 7 + 6 adhered

Cleaning


Professional dry cleaning with tetrachloroethylene, normal process

Colours

Colours can differ from image, for a true colour perspective and up to date colour card, please visit the brand website.



Gabriel Soul Melange | category P2



Application

Panel

Composition

84% wool / 16% polyester

Environmental

STANDARD 100 by OEKO-TEX®

Width

170cm

Weight

330 g/lm

Fastness to Rubbing

4/4-5 scale 1-5, max. 5 -

EN ISO 105x12 (wet/dry)

Flame resistance

BS 476 Part 7 class I

BS EN 1021 1&2 Cigarette and Match

Cleaning

Regular vacuum cleaning.

Colours

Colours can differ from image,
for a true colour perspective
and up to date colour card,
please visit the brand website.

